J.N.K. Rao – A Tribute

V.K. Gupta¹ and Rahul Mukerjee²

¹108, Jaipuria Building, Kohlapur Road, Kamla Nagar, Delhi ²Indian Institute of Management Calcutta, Kolkata

Received: December 04, 2017; Revised: April 09, 2018; Accepted: April 09, 2018

1. Jon Rao, a living legend

We are deeply honoured and privileged to write about Professor J.N.K. Rao as a researcher and a human being. This is, indeed, an extremely difficult task. Professor Rao's research contributions are so enormous and have generated such a profound worldwide impact on statistical sciences and its innovative and diversified applications in other sciences that it is impossible to sketch even a brief account of it in the limited space of this write-up. Moreover, like everyone in our society, we are so deeply indebted to him for his humanitarian qualities that it is really hard for us to find words that aptly and sufficiently convey our feelings and emotions about him.

Dr. Jonnagadda Nalini Kanth Rao, a distinguished research professor of the highest level of international eminence, is a living legend with brilliance in the areas of survey sampling and statistical inference. It is by no means an exaggeration to say that Professor Rao is an encyclopaedia on small area estimation in particular and survey sampling in general. He is not only a giant of statistical sciences with a towering stature, but also an embodiment of humanitarian traits such as gentleness, kindness and humbleness.

Professor J.N.K. Rao, popularly known as Jon Rao, was born in Eluru, Andhra State, India on May 16, 1937. Jon received his first two degrees in India, namely, bachelor's degree in mathematics from the Andhra University in 1954 and master's degree in statistics from the University of Bombay in 1956. During 1956-58, he worked as a research scholar at the Forest Research Institute, Dehradun, India, before going to the Iowa State University, for pursuing his Ph.D. degree in Statistics, which he received in 1961.

Jon started his teaching career as an assistant professor at the Iowa State University between 1961 and 1963. In 1963-64, he worked as a sampling expert at the National Council of Applied Economic Research, India. This was followed by an associate professorship at the Graduate Research Center of the Southwest, Dallas, in 1964-65. During 1965-67, he was an associate professor at the Department of Statistics, Texas A&M University, where he became a

Corresponding Author: V.K. Gupta E-mail: vkgupta_1751@yahoo.co.in

professor in 1967 and took a leave of absence during 1968-69 to work as a visiting professor at the Indian Statistical Institute, Calcutta. For family reasons, he moved to Canada in 1969, where he continued with his research and teaching as a professor at the University of Manitoba during 1969-1973. Later he moved to the Carleton University at Ottawa. There he was a professor at the School of Mathematics and Statistics, and became a distinguished research professor after his retirement in 2000. Jon has been a member of the advisory committee on methods of statistics at Statistics Canada and consultant to the same organization on the most important issues related to sampling methodologies and their applications.

The depth and breadth of Jon's research and its impact on survey methodology and survey statistician form a foundational basis for researchers in their pursuit of the study of sampling theory and its applications in diverse fields. Since his earliest studies on time series models, and then moving on to the analysis of rotating samples, to linear and logistic models, to ratio estimation and the analysis of samples with probability proportional to size, his work has always led to major advances both in methodological and applied contexts. Jon's research interests cover such astoundingly wide-ranging areas as small area estimation, missing data and imputation, re-sampling methods for variance estimation, analysis of survey data, categorical data analysis, multiple frame surveys, integrated surveys with many characteristics under study, PPS sampling without replacement (popular as RHC method) and alternative estimators in PPS sampling when size measure is unrelated to a variable of interest (which may happen in surveys with multiple variables). His trendsetting research expands to cover inferential issues; most importantly the matrix formulation of general ANOVA mixed models and derivation of maximum likelihood (ML) estimators of both fixed effects and variance components and development of EM algorithm that led to the development of restricted maximum likelihood (REML) estimation. His revolutionary research focuses on variance estimation when only one unit is selected from each stratum using a linear regression model with unequal error variances and expressing the variance of the stratified mean as a linear combination of the error variances, followed by the development of a new method of estimating the error variances that in turn lead to a new variance estimator for the stratified mean, which became the foundation of the development of C.R. Rao's MINQUE method of estimating variance components.

His more recent studies on small area estimation represent an indispensable reference point for all scholars who want to apply this methodology to the analysis of survey data. It has been applied widely by leading international organizations, providing support for the definition of appropriate economic policy guidelines. His two Wiley text books (Rao, 2003) and Rao and Molina, 2015) on Small Area Estimation serve as a masterpiece for survey statisticians and researchers in this all important area. The scientific importance of Jon's work lies in both his methodological contributions and the resulting applications that they have generated in assorted fields. His research has had a major impact, for example, in the definition of policies to reduce poverty and to identify specific actions with regard to educational or health issues, both in advanced economies and in the developing world.

In addition to his phenomenal research impact, Jon has had a major influence on official statistics agencies through his participation on advisory boards and panels, and his role as advisor and consultant. He has also inspired several generations of survey statisticians through his teaching, mentoring and research collaboration. Moreover, so far Jon has supervised over 30

students for their doctoral degrees and over 15 students for their master's degrees. Three of his former Ph.D. students are Fellows of the American Statistical Association. Several of his former students achieved top positions at Statistics Canada and elsewhere.

It is no wonder that Jon's brilliant, path-breaking contributions have been globally acclaimed through prestigious awards and recognitions. To cite only a few examples, he has been listed among the ISI highly cited researchers in mathematical sciences. He has also been honoured with the Fellowship of the American Statistical Association in 1964, the Fellowship of the American Association for Advancement of Science in 1965, the Fellowship of the Institute of Mathematical Statistics in 1972, and the Fellowship of the Royal Society of Canada in 1991. Jon's 1981 paper in JASA (with A.J. Scott) on analysis of categorical survey data was listed among the 19 landmark papers in survey statistics during the period 1934-1990. He was the president of the Indian Society of Agricultural Statistics golden jubilee conference, Delhi, 1996, the 8th annual Morris Hansen Lecturer, 1998, and the Program Chair, International Statistical Institute Meetings, Finland, 1999. He received the Appreciation Award from Statistics Canada, 2001 "in recognition of outstanding and distinguished contributions to the effectiveness of Statistics Canada". The Statistical Society of Canada Honorary Membership Award 2004 was another feather in the cap of Jon "for landmark contributions to a wide range of topics in survey sampling theory and methods". Jon was invited twice to deliver the annual distinguished lecture of the Joint Program in Survey Methodology, University of Maryland. He chaired the Mahalanobis Award Committee of the International Statistical Institute in 2017.

Jon received the Gold Medal from the Statistical Society of Canada in 1993, the Wakesberg Award for Survey Methodology in 2005, and honorary doctorates from the University of Waterloo (2008) and the Catholic University of Sacred Heart, Italy (2013). During the Small Area Estimation 2017, 61st ISI World Statistics Congress Satellite Meeting held at Paris, Jon was honoured with the Gold Medal Award for outstanding contributions to small area estimation.

Jon rendered extremely influential editorial service as associate or advisory editor of major international journals, such as Journal of the American Statistical Association, The Annals of Statistics, Statistica Sinica, The Canadian Journal of Statistics, Survey Methodology, Journal of Statistical Planning and Inference, and so on. He has also been on the editorial board of the Wiley Series on Survey Methodology. He has been an elected council member of the International Association of Survey Statisticians and the International Statistical Institute. Other professional bodies that greatly benefited by having Jon as member include the US Bureau of Census Advisory Committee on Methodology, Statistics Canada Advisory Committee on Methodology since its inception in 1985, and Panel on Estimates of Poverty for Small Geographic Areas, National Academy of Sciences, USA, to name only a few. He has also been a consultant to Statistics Canada on Survey Methodology since 1974.

Jon's great simplicity, his ability to listen and give advice, his seriousness, his willingness to help others are some of the characteristics that make him a perfect human being and tempt us to imbibe in ourselves these qualities, especially at a time when even in the world of research, apparent progress tends to overshadow real and substantial scientific advances. He is not only a world-famous scholar but also a great human being, known to everyone for his benevolence. An adherent of traditional Indian values, Jon has always been a caring husband and a caring father in

his family. His son J. Sunil Rao, a well-known biostatistician presently working as the director of Biostatistics Division and interim chair of the School of Public Health Sciences at the University of Miami, was elected a Fellow of the American Statistical Association (ASA) in 2011, and father-son ASA Fellow pairs are, indeed, extremely rare.

We are really honoured to have attempted to prepare this write-up on Jon, who is an academician of the highest order of eminence and, at the same time, a great and true friend, philosopher and guide. We wish him a very long and healthy life so that the scientific fraternity keeps benefiting from his wisdom and brilliance and the statistical sciences keep growing further.

2. Research publications of Jon Rao

2.1 Books

- 1. Rao, J.N.K. (2000). *Statistical Methodology for Indirect Estimations in Small Areas*. Vol. **39**, EUSTAT, Vitoria-Gasteiz, Spain.
- 2. Rao, J.N.K. (2003). Small Area Estimation. Wiley, New York.
- 3. Rao, J.N.K. and Molina, I. (2015). *Small Area Estimation*, 2nd Edition. Wiley, Hoboken, NJ.
- 4. Tintner, G., Rao, J.N.K. and Strecker, H. (1978). *New Results in the Variate Difference Method.* Vandenhoeck and Ruprecht, Gotttingen.

2.2 Edited volumes

- 1. Csorgo, M., Dawson, D.A., Rao, J.N.K. and Saleh, A.K. Md. E. Saleh (Eds) (1981). *Statistics and Related Topics*, North-Holland, Amsterdam.
- 2. Krewski, D., Platek, R. and Rao, J.N.K. (Eds) (2016). *Current Topics in Survey Sampling. Proceedings of the International Symposium on Survey Sampling*, Ottawa, May 7-9, 1980, Revised Edition, Elsevier.
- 3. Platek, R., Rao, J.N.K., Sarndal, C.E. and Singh, M.P. (Eds.) (1987). *Small Area Statistics*. Wiley, New York.

2.3 Research articles in journals

- 1. Bayless, D.L. and Rao, J.N.K. (1970). An empirical study of stabilities of estimators and variance estimators in unequal probability sampling (n = 3 or 4). *Journal of the American Statistical Association*, **65**, 1645-1667.
- 2. Bellhouse, D. R. and Rao, J.N.K. (1975). Systematic sampling in the presence of a trend. *Biometrika*, **62**, 694-697.
- 3. Bellhouse, D.R. and Rao, J.N.K. (1986). On the efficiency of prediction estimators in two-stage sampling. *Journal of Statistical Planning and Inference*, **13**, 269-281.
- 4. Bellhouse, D.R. and Rao, J.N.K. (2002). Analysis of domain means in complex surveys. *Journal of Statistical Planning and Inference*, **102**, 47-58.
- 5. Benhin, E., Rao. J.N.K. and Scott, A.J. (2005). Mean estimating equation approach to analyzing cluster-correlated data with non-ignorable cluster sizes. *Biometrika*, **92**, 435-450.

- 6. Berger, Y. and Rao, J.N.K. (2006). Adjusted jackknife for imputation under unequal probability sampling without replacement. *Journal of the Royal Statistical Society Series* **B68**, 531-547.
- 7. Biswas, A. and Rao, J.N.K. (2004). Missing responses in adaptive allocation design. *Statistics and Probability Letters*, **70**, 59-70.
- 8. Brackstone, G. and Rao, J.N.K. (1979). An investigation of ranking ratio estimators. *Sankhya*, **C41**, 97-114.
- 9. Chakrabarty, R.P. and Rao, J.N.K.(1968). The bias and stability of the jack-knife variance estimator in ratio estimation. *Journal of the American Statistical Association*, **63**, 748-749.
- 10. Chen, J., Chen, S.Y. and Rao, J.N.K. (2003). Empirical likelihood confidence intervals for the mean of a population containing many zero values. *The Canadian Journal of Statistics*, **31**, 53-68.
- 11. Chen, J. and Rao, J.N.K. (2007). Asymptotic normality under two-phase sampling designs. *Statistica Sinica*, **17**, 1047-1064.
- 12. Chen, J., Rao, J.N.K. and Sitter, R.R. (2000). Efficient random imputation for missing data in complex surveys. *Statistica Sinica*, **10**, 1153-1169.
- 13. Choudhry, G.H., Rao, J.N.K. and Hidiroglou, M.A. (2012). On sample allocation for efficient domain estimation. *Survey Methodology*, **38**, 23-29.
- 14. Das, K., Jiang, J. and Rao, J.N.K. (2004). Mean squared error of empirical predictor. *The Annals of Statistics*, **32**, 818-840.
- 15. Das, K., Rao, J.N.K. and Biswas, A. (1999). Bayesian analysis of clustered regression models for mixed discrete and continuous outcomes an application to depressive disorder data. *Calcutta Statistical Association Bulletin*, **49**, 255-267.
- 16. Datta, G.S., Kubokawa, T., Molina, I. and Rao, J.N.K. (2011). Estimation of mean squared error of model-based small area estimators. *Test*, **20**, 367–388.
- 17. Datta, G.S., Rao, J.N.K. and Smith, D.D. (2005). On measuring the variability of small area estimator under a basic area level model. *Biometrika*, **92**, 183–196.
- 18. Datta, G.S., Rao, J.N.K. and Torabi, M. (2010). Pseudo-empirical Bayes estimation of small area means under a nested error linear regression model with functional measurement errors. *Journal of Statistical Planning and Inference*, **140**, 2952–2962.
- 19. Datta, G.S., Torabi, M., Rao, J.N.K. and Liu, B. (2018). Small area estimation with multiple covariates measured with errors: A nested error linear regression approach of combining multiple surveys. *Journal of Multivariate Analysis*, **167**, 49-59.
- 20. Demnati, A. and Rao, J.N.K. (2004). Linearization variance estimators for survey data (with discussion). *Survey Methodology*, **30**, 17–34.
- 21. Demnati, A. and Rao, J.N.K. (2010). Linearization variance estimators for model parameters from complex survey data. *Survey Methodology*, **36**, 193-201.
- 22. Diallo, M.S. and Rao, J.N.K. (2018). Small area estimation of complex parameters under unit-level models with skew-normal errors. *Scandinavian Journal of Statistics*, **45**, https://doi.org/10.1111/sjos.12336.
- 23. Fawcett, R.W. and Rao, J.N.K. (1971). On estimation of variance and covariance components by 'synthesis' (abstract). *Biometrics*, **27**, 251.
- 24. Frawley, W.H., Kapadia, C.H., Rao, J.N.K. and Owen, D.B. (1971). Tolerance limits on range and mean range. *Technometrics*, 651-656.

- 25. Fuller, W.A. and Rao, J.N.K. (1978). Estimation for a linear regression model with unknown diagonal covariance matrix. *The Annals of Statistics*, **6**, 1149-1158.
- 26. Fuller, W.A. and Rao, J.N.K. (2001). A regression composite estimator with application to the Canadian Labour Force Survey. *Survey Methodology*, **27**, 45-51.
- 27. Fung, K.Y., Krewski, D., Rao, J.N.K. and Scott, A.J. (1994). Tests for trend in developmental toxicity experiments with correlated binary data. *Risk Analysis*, **14**, 639-648.
- 28. Ghangurde, P.D. and Rao, J.N.K. (1969). Some results on sampling over two occasions. *Sankhya*, **A31**, 463-472.
- 29. Ghosh, M. and Rao, J.N.K. (1994). Small area estimation: an appraisal (with discussion). *Statistical Science*, **9**, 55-93.
- 30. Govindarajulu, Z. and Rao, J.N.K. (1968). Asymptotically best estimator of scale based on two symmetric quantiles. *Sankhya, Series A*, **30**, 335-336.
- 31. Guadarrama, M., Molina, I. and Rao, J.N.K. (2016). A comparison of small area estimation methods for poverty mapping. *Statistics in Transition New Series*, **17**, 41-66.
- 32. Guadarrama M., Molina, I., Rao. J.N.K. (2018). Small area estimation of general parameters under complex sampling designs. *Computational Statistics and Data Analysis*, **121**, 20-40.
- 33. Hartley, H.O. and Rao, J.N.K. (1962). Sampling with unequal probabilities and without replacement. *The Annals of Mathematical Statistics*, **33**, 350-374.
- 34. Hartley, H.O. and Rao, J.N.K. (1967). Maximum-likelihood estimation for the mixed analysis of variance model. *Biometrika*, **54**, 93-108.
- 35. Hartley, H.O. and Rao, J.N.K. (1968a). Classification and estimation in analysis of variance problems. *International Statistical Review*, **36**, 141-147.
- 36. Hartley, H.O. and Rao, J.N.K. (1968b). A new estimation theory of sample surveys. *Biometrika*, **55**, 547-557.
- 37. Hartley, H.O. and Rao, J.N.K. (1971). Foundations of survey sampling (a Don Quixote Tragedy). *The American Statistician*, **25**, 21-27.
- 38. Hartley, H.O. and Rao, J.N.K. (1975). Some comments on labels: a rejoinder to a section of Godambe's paper "A reply to my critics". *Sankhya C*, **37**, 163-170.
- 39. Hartley, H.O., Rao, J.N.K. and Kiefer, G. (1969). Variance estimation with one unit per stratum. *Journal of the American Statistical Association*, **64**, 841-851.
- 40. Hartley, H.O., Rao, J.N.K. and LaMotte, L.R. (1978). A simple synthesis-based method of estimating variance components. *Biometrics*, **34**, 233-243.
- 41. Haziza, D., Hidiroglou, M.A. and Rao, J.N.K. (2011). Comparison of variance estimators for two-phase sampling: an empirical investigation. *Pakistan Journal of Statistics*, **27**, 477-492.
- 42. Haziza, D., Mecatti, F. and Rao, J.N.K. (2008). Evaluation of some approximate variance estimators under the Rao-Sampford unequal probability sampling design. *Metron*, **66**, 91-108.
- 43. Haziza, D. and Rao, J.N.K. (2003). Inference for population means under unweighted imputation for missing survey data. *Survey Methodology*, **29**, 81-90.
- 44. Haziza, D. and Rao, J.N.K. (2005). Inference for domains under imputation for missing survey data. *The Canadian Journal of Statistics*, **33**, 149–161.
- 45. Haziza, D. and Rao, J.N.K. (2006). A nonresponse model approach to inference under imputation for missing survey data. *Survey Methodology*, **32**, 53-64

- 46. Haziza, D. and Rao, J.N.K. (2010). Variance estimation in two-stage cluster sampling under imputation for missing data. *Journal of Statistical Theory and Practice*, **4**, 827–844.
- 47. Hidiroglou, M.A. and Rao, J.N.K. (1987a). Chi-squared tests with categorical data from complex surveys: Part I Simple goodness-of-fit, homogeneity and independence in a two-way table with applications to the Canada health survey (1978–1979). *Journal of Official Statistics*, **3**, 117-132.
- 48. Hidiroglou, M.A. and Rao, J.N.K. (1987b). Chi-squared tests with categorical data from complex surveys: Part II Independence in a three-way table with applications to the Canada health survey (1978-1979). *Journal of Official Statistics*, **3**, 133-140.
- 49. Hidiroglou, M.A., Rao, J.N.K. and Haziza, D. (2009). Variance estimation in two-phase sampling. *Australian and New Zealand Journal of Statistics*, **51**, 127-141.
- 50. Hughes, E. and Rao, J.N.K. (1979). Some problems of optimum allocation in sample surveys involving inequality constraints. *Communications in Statistics Theory and Methods*, **8**, 1551-1574.
- 51. Kim, J.K. and Rao, J.N.K. (2009). A unified approach to linearization variance estimation from survey data after imputation for item non-response. *Biometrika*, **96**, 917-932.
- 52. Kim, J.K. and Rao, J.N.K. (2012). Combining data from two independent surveys: a model-assisted approach. *Biometrika*, **99**, 85-100.
- 53. Kleffe, J., Prasad, N.G.N. and Rao, J.N.K. (1991). "Optimal" estimation of correlated response variance under additive models. *Journal of the American Statistical Association*, **86**, 144-150.
- 54. Kleffe, J. and Rao, J.N.K. (1986). The existence of asymptotically unbiased non-negative quadratic estimates of variance components in ANOVA models. *Journal of the American Statistical Association*, **81**, 692-698.
- 55. Kleffe, J. and Rao, J.N.K. (1992). Estimation of mean square error of empirical best linear unbiased predictors under a random error variance linear model. *Journal of Multivariate Analysis*, **43**, 1-15.
- 56. Kleffe, J. and Rao, J.N.K. (1993). Inadmissibility but near optimality of an estimator of correlated response variance under additive models. *Journal of Statistical Planning and Inference*, **36**, 151-163.
- 57. Kovar, J.G., Rao, J.N.K. and Wu, C.F.J. (1988). Bootstrap and other methods to measure errors in survey estimates. *The Canadian Journal of Statistics*, **16**, 25-45.
- 58. Krewski, D. and Rao, J.N.K. (1981). Inference from stratified samples: properties of the linearization, jackknife and balanced repeated replication methods. *The Annals of Statistics*, **9**, 1010-1019.
- 59. Lahiri, P. and Rao, J.N.K. (1995). Robust estimation of mean squared error of small area estimators. *Journal of the American Statistical Association*, **90**, 758-766.
- 60. Lohr, S.L. and Rao, J.N.K. (2000). Inference for dual frame surveys. *Journal of the American Statistical Association*, **95**, 271-280.
- 61. Lohr, S.L. and Rao, J.N.K. (2006). Estimation in multiple-frame surveys. *Journal of the American Statistical Association*, **101**, 1019-1030.
- 62. Lohr, S. L. and Rao, J.N.K. (2009). Jackknife estimation of mean squared error of small area predictors in nonlinear mixed models. *Biometrika*, **96**, 457–468.

- 63. Marhuenda, Y., Molina, I., Morales, D. and Rao, J.N.K. (2017). Poverty mapping in small areas under a twofold nested error regression model. *Journal of the Royal Statistical Society*, **A180**, 1111–1136.
- 64. Mohadjer, L., Rao, J.N.K., Liu, B., Krenzke, T. and Van de Kerckhove, W. (2012). Hierarchical Bayes small area estimates of adult literacy using unmatched sampling and linking models. *Journal of the Indian Society of Agricultural Statistics*, **66**, 55–64.
- 65. Mohammadi, M., Salehi, M. and Rao, J.N.K. (2014). Bootstrap confidence intervals for adaptive cluster sampling design based on Horvitz–Thompson type estimators. *Environmental and Ecological Statistics*, **21**, 351-371.
- 66. Molina, I., Nandram, B. and Rao, J.N.K. (2014). Small area estimation of general parameters with application to poverty indicators: a hierarchical Bayes approach. *The Annals of Applied Statistics*, **8**, 852–885.
- 67. Molina, I. and Rao, J.N.K. (2010). Small area estimation of poverty indicators. *The Canadian Journal of Statistics*, **38**, 369–385.
- 68. Molina, I., Rao, J.N.K. and Datta, G.S. (2015). Small area estimation under a Fay-Herriot model with preliminary testing for the presence of random effects. *Survey Methodology*, **41**, 1-19.
- 69. Nigam, A.K. and Rao, J.N.K. (1996). On balanced bootstrap for stratified multistage samples. *Statistica Sinica*, **6**, 199-214.
- 70. Prasad, N.G.N. and Rao, J.N.K. (1986). Discussion on "Jackknife, bootstrap and other resampling methods in regression analysis," by C.F.J. Wu. *The Annals of Statistics*, **14**, 1320-1322.
- 71. Prasad, N.G.N. and Rao, J.N.K. (1988). Robust tests and confidence intervals for error variance in a regression model and for functions of variance components in an unbalanced random one-way model. *Communications in Statistics Theory and Methods*, **17**, 1111-1133.
- 72. Prasad, N.G.N. and Rao, J.N.K. (1990). The estimation of the mean squared error of small-area estimators. *Journal of the American Statistical Association*, **85**, 163-171.
- 73. Prasad, N.G.N. and Rao, J.N.K. (1999). On robust small area estimation using a simple random effects model. *Survey Methodology*, **25**, 67-72.
- 74. Qin, Y., Rao, J.N.K. and Ren, Q. (2008a). Confidence intervals for marginal parameters under imputation for item nonresponse. *Journal of Statistical Planning and Inference*, **138**, 2283-2302.
- 75. Qin, Y., Rao, J.N.K. and Ren, Q. (2008b). Confidence intervals for marginal parameters under fractional linear regression imputation for missing data. *Journal of Multivariate Analysis*, **99**, 1232-1259.
- 76. Qin, Y., Rao, J.N.K. and Wu, C. (2010). Empirical likelihood confidence intervals for the Gini measure of income inequality. *Economic Modelling*, **27**, 1429–1435.
- 77. Rao, J.N.K. (1957). Double ratio estimate in forest surveys. *Journal of the Indian Society of Agricultural Statistics*, **9**, 191-204.
- 78. Rao, J.N.K. (1958a). A characterization of the normal distribution. *The Annals of Mathematical Statistics*, **29**, 914-919.
- 79. Rao, J.N.K. (1958b). Estimation of the ratio in forest surveys. *Indian Forester*, **84**, 153-161.
- 80. Rao, J.N.K. (1958c). Partially systematic line-plot surveys. *Indian Forester*, **84**, 424-427.

- 81. Rao, J.N.K. (1959a). Some sampling methods in forest surveys. *Indian Forester*, **85**, 723-727.
- 82. Rao, J.N.K. (1959b). A note on mean square successive differences. *Journal of the American Statistical Association*, **54**, 801-806.
- 83. Rao, J.N.K. (1961a). On sampling with varying probabilities and with replacement in sub-sampling designs. *Journal of the Indian Society of Agricultural Statistics*, **13**, 211-217.
- 84. Rao, J.N.K. (1961b). On the estimate of the variance in unequal probability sampling. *Annals of the Institute of Statistical Mathematics*, **13**, 57-60.
- 85. Rao, J.N.K. (1962). On the estimation of the relative efficiency of sampling procedures. *Annals of the Institute of Statistical Mathematics*, **14**, 143-150.
- 86. Rao, J.N.K. (1963a). On two systems of unequal probability sampling without replacement. *Annals of the Institute of Statistical Mathematics*, **15**, 67-72.
- 87. Rao, J.N.K. (1963b). On three procedures of unequal probability sampling without replacement. *Journal of the American Statistical Association*, **58**, 202-215.
- 88. Rao, J.N.K. (1964a). Unbiased ratio and regression estimators in multi-stage sampling. *Journal of the Indian Society of Agricultural Statistics*, **16**, 175-188.
- 89. Rao, J.N.K. (1964b). Estimation of simultaneous equations. *Journal of the Indian Statistical Association*, **2**, 210-228.
- 90. Rao, J.N.K. (1965a). On two simple schemes of unequal probability sampling without replacement. *Journal of the Indian Statistical Association*, **3**, 173-180.
- 91. Rao, J.N.K. (1965b). A note on estimation of ratios by Quenouille's method. *Biometrika*, **52**, 647-649.
- 92. Rao, J.N.K. (1966a). On the comparison of sampling with and without replacement. *International Statistical Review*, **34**, 125-138.
- 93. Rao, J.N.K. (1966b). Alternative estimators in PPS sampling for multiple characteristics. *Sankhyā*, **A28**, 47-60.
- 94. Rao, J.N.K. (1966c). On the relative efficiency of some estimators in PPS sampling for multiple characteristics. *Sankhyā*, **A28**, 61-70.
- 95. Rao, J.N.K. (1967). The precision of Mickey's unbiased ratio estimator. *Biometrika*, **54**, 321-324.
- 96. Rao, J.N.K. (1968a). Some nonresponse sampling theory when the frame contains an unknown amount of duplication. *Journal of the American Statistical Association*, **63**, 87–90.
- 97. Rao, J.N.K. (1968b). On expectations, variances and covariances of ANOVA Mean Squares by 'Synthesis'. *Biometrics*, **24**, 963-978.
- 98. Rao, J.N.K. (1968c). Some small sample results in ratio and regression estimation. *Journal of the Indian Statistical Association*, **6**, 160-168.
- 99. Rao, J.N.K. (1971). Some thoughts on the foundations of survey sampling. *Journal of the Indian Society of Agricultural Statistics*, **23**, 69-82.
- 100. Rao, J.N.K. (1973a). On double sampling for stratification and analytical surveys. *Biometrika*, **60**, 125-133.
- 101. Rao, J.N.K. (1973b). On the estimation of heteroscedastic variances. *Biometrics*, **29**, 11-24.
- 102. Rao, J.N.K. (1975). Unbiased variance estimation for multistage designs. *Sankhyā*, **C37**, 133-139.

- 103. Rao, J.N.K. (1979). On deriving mean square errors and their non-negative unbiased estimators in finite population sampling. *Journal of the Indian Statistical Association*, **17**, 125-136.
- 104. Rao, J.N.K. (1982). Some aspects of variance estimation in sample surveys. *Utilitas Mathematica*, **21B**, 205-225.
- 105. Rao, J.N.K. (1983). H.O. Hartley's contributions to sample survey theory and methods. *The American Statistician*, **37**, 344–350.
- 106. Rao, J.N.K. (1985). Conditional inference in survey sampling. *Survey Methodology*, **11**, 15-31.
- 107. Rao, J.N.K. (1989). A note on Narain's necessary condition in sampling. *Journal of the Indian Society of Agricultural Statistics*, **41**, 316.
- 108. Rao, J.N.K. (1994). Estimating totals and distribution functions using auxiliary information at the estimation stage. *Journal of Official Statistics*, **10**, 153-165.
- 109. Rao, J.N.K. (1996a). On variance estimation with imputed survey data. *Journal of the American Statistical Association*, **91**, 499-506.
- 110. Rao, J.N.K. (1996b). Some current topics in sample survey theory. *Journal of the Indian Society of Agricultural Statistics*, **48**, 244-263.
- 111. Rao, J.N.K. (1997). Developments in sample survey theory: an appraisal. *The Canadian Journal of Statistics*, **25**, 1-21.
- 112. Rao, J.N.K. (1999a). Some recent advances in model-based small area estimation. *Survey Methodology*, **25**, 175-186.
- 113. Rao, J.N.K. (1999b). Some current trends in sample survey theory and methods (with discussion). *Sankhyā*, **B61**, 1-57.
- 114. Rao, J.N.K. (1999c). Conditional inference from survey data: some current issues. *Statistica Applicata*, **11**, 151-164.
- 115. Rao, J.N.K. (2000). Conditional inference for large and small areas. *Journal of the Indian Statistical Association*, **38**, 383-398.
- 116. Rao, J.N.K. (2003). Some new developments in small area estimation. *Journal of the Iranian Statistical Society*, **2**, 145-169.
- 117. Rao, J.N.K. (2004a). Small-area estimation with applications to agriculture. *Agricultural Survey Methods*, **9**, 139-147.
- 118. Rao, J.N.K. (2004b). Small area estimation with applications to agriculture. *Journal of the Indian Society of Agricultural statistics*, **57**, 159-170.
- 119. Rao, J.N.K. (2005a). Inferential issues in small area estimation: some new developments. *Statistics in Transition*, **7**, 513-526.
- 120. Rao, J.N.K. (2005b). On measuring the quality of survey estimates. *International Statistical Review*, **73**, 241-244.
- 121. Rao, J.N.K. (2005c). Interplay between sample survey theory and practice: an appraisal. *Survey Methodology*, **31**, 117-138.
- 122. Rao, J.N.K. (2006). Empirical likelihood methods for sample survey data: an overview. *Austrian Journal of Statistics*, **35**, 191–196.
- 123. Rao, J.N.K. (2008). Some methods for small area estimation. *Rivista Internazionale di Scienze Sociali*, **116**, 387-406
- 124. Rao, J.N.K. (2011). Impact of frequentist and Bayesian methods in survey sampling practice: a selective appraisal. *Statistical Science*, **26**, 240-256.

- 125. Rao, J.N.K. (2015). Inferential issues in model-based small area estimation: some new developments. *Statistics in Transition New Series*, **16**, 491-510.
- 126. Rao, J.N.K. (2016). Empirical likelihood methods for sample survey data: an overview. *Austrian Journal of Statistics*, **35**, 191-196.
- 127. Rao, J.N.K. and Bayless, D.L. (1969). An empirical study of the stabilities of estimators and variance estimators in unequal probability sampling of two units per stratum. *Journal of the American Statistical Association*, **64**, 540-559.
- 128. Rao, J.N.K. and Beegle, L.D. (1967). A Monte Carlo study of some ratio estimators. *Sankhyā*, **B29**, 47-56.
- 129. Rao, J.N.K. and Bellhouse, D.R. (1978). Optimal estimation of a finite population mean under generalized random permutation models. *Journal of Statistical Planning and Inference*, **2**, 125-141.
- 130. Rao, J.N.K. and Bellhouse, D.R. (1990). History and development of the theoretical foundations of survey based estimation and analysis. *Survey Methodology*, **16**, 1-29.
- 131. Rao, J.N.K. and Chawla, H.K. (1956). Efficiency of stratification in sub-sampling designs for the ratio method of estimation with varying probabilities of selection. *Journal of the Indian Society of Agricultural Statistics*, **8**, 91-101.
- 132. Rao, J.N.K. and Fuller, W.A. (2017). Sample survey theory and methods: past, present and future directions. *Survey Methodology*, **43**, 145-160.
- 133. Rao, J.N.K. and Ghangurde, P. D. (1972). Bayesian optimization in sampling finite populations. *Journal of the American Statistical Association*, **67**, 439-443.
- 134. Rao, J.N.K. and Graham, J.E. (1964). Rotation designs for sampling on repeated occasions. *Journal of the American Statistical Association*, **59**, 492–509.
- 135. Rao, J.N.K., Hartley, H.O. and Cochran, W.G. (1962). On a simple procedure of unequal probability sampling without replacement. *Journal of the Royal Statistical Society*, **B24**, 482-491.
- 136. Rao, J.N.K., Hidiroglou, M., Yung, W. and Kovacevic, M. (2010). Role of weights in descriptive and analytical inferences from survey data: an overview. *Journal of the Indian Society of Agricultural Statistics*, **64**, 129-135.
- 137. Rao, J.N.K., Jocelyn, W. and Hidiroglou, M.A. (2003). Confidence interval coverage properties for regression estimators in uni-phase and two-phase sampling. *Journal of Official Statistics*, **19**, 17-30.
- 138. Rao, J.N.K., Kovar, J.G. and Mantel, H.J. (1990). On estimating distribution functions and quantiles from survey data using auxiliary information. *Biometrika*, **77**, 365-375.
- 139. Rao, J.N.K., Kumar, S. and Roberts, G. (1989). Analysis of sample survey data involving categorical response variables: methods and software (with discussion). *Survey Methodology*, **15**, 161-186.
- 140. Rao, J.N.K. and Kuzik, R.A. (1974). Sampling errors in ratio estimation. *Sankhyā*, **C36**, 43-58.
- 141. Rao, J.N.K. and Lanke, J. (1984). Simplified unbiased variance estimation for multistage designs. *Biometrika*, **71**, 387-395.
- 142. Rao, J.N.K. and Nigam, A.K. (1990). Optimal controlled sampling designs. *Biometrika*, **77**, 807-814.
- 143. Rao, J.N.K. and Nigam, A.K. (1992). Optimal controlled sampling: a unified approach. *International Statistical Review*, **60**, 89-98.

- 144. Rao, J.N.K. and Ramachandran, V. (1974). Comparison of the separate and combined ratio estimators. *Sankhyā*, **C36**, 151-156.
- 145. Rao, J.N.K. and Roberts, G. (1998). Discussion on the papers by Firth and Bennett and Pfeffermann et al. *Journal of the Royal Statistical Society*, **B60**, 50-51.
- 146. Rao, J.N.K., Rubin-Bleuer, S. and Esteavo, V. (2018). Measuring uncertainty associated with model-based small area estimators. *Survey Methodology*, **44**, in press.
- 147. Rao, J.N.K. and Scott, A.J. (1981). The analysis of categorical data from complex sample surveys: chi-square tests for goodness of fit and independence in two-way tables. *Journal of the American Statistical Association*, **76**, 221–230.
- 148. Rao, J.N.K. and Scott, A.J. (1984). On chi-squared tests for multiway contingency tables with cell proportions estimated from survey data. *The Annals of Statistics*, **12**, 46-60.
- 149. Rao, J.N.K. and Scott, A.J. (1987). On simple adjustments to chi-square tests with sample survey data. *The Annals of Statistics*, **15**, 385-397.
- 150. Rao, J.N.K. and Scott, A.J. (1992). A simple method for the analysis of clustered binary data. *Biometrics*, **48**, 577-585.
- 151. Rao, J.N.K., Scott, A.J. and Skinner, C.J. (1998). Quasi-score tests with survey data. *Statistica Sinica*, **8**, 1059-1070.
- 152. Rao, J.N.K., and Scott, A.J. (1999). A simple method for analysing over-dispersion in clustered Poisson data. *Statistics in Medicine*, **18**, 1373-1385.
- 153. Rao, J.N.K., Scott, A.J. and Benhin, E. (2003). Undoing complex survey data structures: some theory and applications of inverse sampling (with discussion). *Survey Methodology*, **29**, 107-128.
- 154. Rao, J.N.K. and Shao, J. (1992). Jackknife variance estimation with survey data under hot deck imputation. *Biometrika*, **79**, 811–822.
- 155. Rao, J.N.K. and Shao, J. (1996). On balanced half-sample variance estimation in stratified random sampling. *Journal of the American Statistical Association*, **91**, 343-348.
- 156. Rao, J.N.K. and Shao, J. (1999). Modified balanced repeated replication for complex survey data. *Biometrika*, **86**, 403-415.
- 157. Rao, J.N.K. and Shimizugawa, H. (1968). A note on sampling over two occasions. *Journal of the Indian Society of Agricultural Statistics*, **20**, 15-22.
- 158. Rao, J.N.K. and Singh, A.C. (2009). Range restricted weight calibration for survey data using range restricted ridge regression. *Pakistan Journal of Statistics*, **25**, 371-384.
- 159. Rao, J.N.K. and Singh, M.P. (1973). On the choice of estimator in survey sampling. *Australian Journal of Statistics*, **15**, 95-104.
- 160. Rao, J.N.K., Sinha, S.K. and Dumitrescu, L. (2014). Robust small area estimation under semi-parametric mixed models. *The Canadian Journal of Statistics*, **42**, 126–141.
- 161. Rao, J.N.K. and Sitter, R.R. (1995). Variance estimation under two-phase sampling with application to imputation for missing data. *Biometrika*, **82**, 453–460.
- 162. Rao, J.N.K. and Sitter, R.R. (1997). Imputation for missing values and corresponding variance estimation. *The Canadian Journal of Statistics*, **25**, 61-73.
- 163. Rao, J.N.K and Subrahmaniam, K. (1971). Combining independent estimators and estimation in linear regression with unequal variances. *Biometrics*, **27**, 971-990.
- 164. Rao, J.N.K., Sutradhar, B.C. and Yue, K. (1993). Generalized lest squares *F* test in regression analysis with two-stage cluster samples. *Journal of the American Statistical Association*, **88**, 1388-1391.

- 165. Rao, J.N.K. and Tausi, M. (2004). Estimating function jackknife variance estimators under stratified multistage sampling. *Communications in Statistics Theory and Methods*, **33**, 2087-2095.
- 166. Rao, J.N.K. and Thomas, D.R. (1988). The analysis of cross-classified categorical data from complex sample surveys. *Sociological Methodology*, **18**, 213-269.
- 167. Rao, J.N.K. and Tintner, G. (1962). The distribution of the ratio of the variances of variate differences in circular case. *Sankhyā*, **A24**, 385-394.
- 168. Rao, J.N.K. and Tintner, G. (1963). On the variate difference method. *The Australian Journal of Statistics*, **5**, 106-116.
- 169. Rao, J.N.K., Verret, F. and Hidiroglou, M.A. (2013). A weighted composite likelihood approach to inference for two-level models from survey data. *Survey Methodology*, **39**, 263-282.
- 170. Rao, J.N.K. and Vijayan, K. (1977). On estimating the variance in sampling with probability proportional to size. *Journal of the American Statistical Association*, **72**, 579-584
- 171. Rao, J.N.K. and Vijayan, K. (2008). Applications of experimental designs in survey sampling. *Journal of the Indian Society of Agricultural Statistics*, **62**, 126-131.
- 172. Rao, J.N.K. and Wang, S.G. (1995). The power of F tests under regression models with nested error structure. *Journal of Multivariate Analysis*, **53**, 237-246.
- 173. Rao, J.N.K. and Webster, J.T. (1966). On two methods of bias reduction in the estimation of ratios. *Biometrika*, **53**, 571-577.
- 174. Rao, J.N.K. and Wu, C.F.J. (1985). Inference from stratified samples: second order analysis of three methods for non-linear statistics. *Journal of the American Statistical Association*, **80**, 620-630.
- 175. Rao, J.N.K. and Wu, C.F.J. (1988). Resampling inference with complex survey data. *Journal of the American Statistical Association*, **83**, 231-241.
- 176. Rao, J.N.K., Wu, C.F.J. and Yue, K. (1992). Some recent work on resampling methods for complex surveys. *Survey Methodology*, **18**, 209-217.
- 177. Rao, J.N.K. and Wu, C. (2010a). Pseudo-empirical likelihood inference for multiple frame surveys. *Journal of the American Statistical Association*, **105**, 1494–1503.
- 178. Rao, J. N. K. and Wu, C. (2010b). Bayesian pseudo empirical likelihood intervals for complex surveys. *Journal of the Royal Statistical Society*, **B72**, 533–544.
- 179. Rao, J.N.K. and Yu, M. (1994). Small area estimation by combining time series and cross-sectional data. *The Canadian Journal of Statistics*, **22**, 511-528.
- 180. Rao, J.N.K., Yung, W. and Hidiroglou, M.A. (2002). Estimating equations for the analysis of survey data using post-stratification information. *Sankhya*, **A64**, 364-378.
- 181. Rao, P.S.R.S. and Rao, J.N.K. (1971). Small sample results for ratio estimators. *Biometrika*, **58**, 625-630.
- 182. Roberts, G., Rao, J.N.K. and Kumar, S. (1987). Logistic regression analysis of sample survey data. *Biometrika*, **74**, 1–12.
- 183. Rust, K.F. and Rao, J.N.K. (1996). Variance estimation for complex surveys using replication techniques. *Statistical Methods in Medical Research*, **5**, 283-310.
- 184. Salehi, M., Mohammadi M., Rao, J.N.K. and Berger, Y.G. (2010). Empirical likelihood confidence intervals for adaptive cluster sampling. *Environmental and Ecological Statistics*, **17**, 111-123.

- 185. Scott, A.J., Rao, J.N.K. and Thomas, D.R. (1990). Weighted least squares and quasi likelihood estimation for categorical data under singular models. *Linear Algebra and its Applications*, **127**, 427-447.
- 186. Seth, G.R. and Rao, J.N.K. (1964). On the comparison between simple random sampling with and without replacement. *Sankhyā*, **A26**, 85-86.
- 187. Shao, J. and Rao, J.N.K. (1993a). Jackknife inference for heteroscedastic linear regression models. *The Canadian Journal of Statistics*, **21**, 377-395.
- 188. Shao, J. and Rao, J.N.K. (1993b). Standard errors for low income proportions estimated from stratified multistage samples. *Sankhya*, **B55**, 393-414.
- 189. Singh, A.C. and Rao, J.N.K. (1995). On the adjustment of gross flow estimates for classification error with application to data from the Canadian Labour Force Survey. *Journal of the American Statistical Association*, **90**, 478-488.
- 190. Sinha, S.K. and Rao, J.N.K. (2009). Robust small area estimation. *The Canadian Journal of Statistics*, **37**, 381–399.
- 191. Sitter, R. and Rao, J.N.K. (1997). Imputation for missing values with corresponding variance estimation. *The Canadian Journal of Statistics*, **25**, 61-73.
- 192. Skinner, C.J. and Rao, J.N.K. (1996). Estimation in dual frame surveys with complex designs. *Journal of the American Statistical Association*, **91**, 349-356.
- 193. Skinner, C.J. and Rao, J.N.K. (2002). Jackknife variance estimation for multivariate statistics under hot deck imputation from common donors. *Journal of Statistical Planning and Inference*, **102**, 149-167.
- 194. Smith, P.J., Rao, J.N.K., Battaglia, M.P. and Daniels, D. (2004). Evaluation of adjustments for partial non-response bias in the US national immunization survey. *Journal of the Royal Statistical Society*, **A167**, 141-156.
- 195. Stukel, D.M. and Rao, J.N.K. (1997). Estimation of regression models with nested error structure and unequal error variances under two and three stage cluster sampling. *Statistics and Probability Letters*, **35**, 401-407.
- 196. Stukel, D.M. and Rao, J.N.K. (1999). On small-area estimation under two-fold nested error regression models. *Journal of Statistical Planning and Inference*, **78**, 131-147.
- 197. Sugasawa, S., Kubokawa, T. and Rao, J.N.K. (2018). Small area estimation via unmatched sampling and linking models. *Test*, **27**, 407-427.
- 198. Sutradhar, B.C. and Rao, J.N.K. (1996). Estimation of regression parameters in generalized linear models for cluster correlated data with measurement errors. *The Canadian Journal of Statistics*, **24**, 177-192.
- 199. Swamy, P.A.V.B. and Rao, J.N.K. (1972). Maximum likelihood estimation of distributed lag model with autocorrelated errors. *Journal of the Indian Statistical Association*, **10**, 87-99.
- 200. Thomas, D.R. and J.N.K. Rao. (1987). Small-sample comparisons of level and power for simple goodness-of-fit statistics under cluster sampling. *Journal of the American Statistical Association*, **82**, 630–636.
- 201. Torabi, M., Datta, G.S. and Rao, J.N.K. (2009). Empirical Bayes estimation of small area means under a nested error linear regression model with measurement errors in the covariates. *Scandinavian Journal of Statistics*, **36**, 355–368.
- 202. Torabi, M. and Rao, J.N.K. (2008). Small area estimation under a two-level model. *Survey Methodology*, **34**, 11-17.

- 203. Torabi, M. and Rao, J.N.K. (2010). Mean squared error estimators of small area means using survey weights. *The Canadian Journal of Statistics*, **38**, 598-608.
- 204. Torabi, M. and Rao, J.N.K. (2013). Estimation of mean squared error of model-based estimators of small area means under a nested error linear regression model. *Journal of Multivariate Analysis*, **117**, 76-87.
- 205. Torabi, M. and Rao, J.N.K. (2014). On small area estimation under a sub-area level model. *Journal of Multivariate Analysis*, **127**, 36–55.
- 206. Verret, F., Rao, J.N.K. and Hidiroglou, M.A. (2015). Model-based small area estimation under informative sampling. *Survey Methodology*, **41**, 333-347.
- 207. Wang, Q. and Rao, J.N.K. (2001). Empirical likelihood for linear regression models under imputation for missing responses. *The Canadian Journal of Statistics*, **29**, 597–608.
- 208. Wang, Q. and Rao, J.N.K. (2002a). Empirical likelihood-based inference under imputation for missing response data. *The Annals of Statistics*, **30**, 896–924.
- 209. Wang, Q. and Rao, J.N.K. (2002b). Empirical likelihood-based inference in linear errors-in-co-variables models with validation data. *Biometrika*, **89**, 345-358.
- 210. Wang, Q. and Rao, J.N.K. (2002c). Empirical likelihood-based inference in linear models with missing data. *Scandinavian Journal of Statistics*, **29**, 563–576.
- 211. Wu, C., and Rao, J.N.K. (2006). Pseudo-empirical likelihood ratio confidence intervals for complex surveys. *The Canadian Journal of Statistics*, **34**, 359–375.
- 212. Wu, C. and Rao, J.N.K. (2010). Bootstrap procedures for the pseudo empirical likelihood method in sample surveys. *Statistics and Probability Letters*, **80**, 1472-1478.
- 213. Yi, G.Y., Rao, J.N.K. and Li, H. (2016). A weighted composite likelihood approach for analysis of survey data under two level models. *Statistica Sinica*, **26**, 569-587.
- 214. You, Y. and Rao, J.N.K. (2000). Hierarchical Bayes estimation of small area means using multi-level models. *Survey Methodology*, **26**, 173-181.
- 215. You, Y. and Rao, J.N.K. (2002a). Small area estimation using unmatched sampling and linking models. *The Canadian Journal of Statistics*, **30**, 3-15.
- 216. You, Y. and Rao, J.N.K. (2002b). A pseudo-empirical best linear unbiased prediction approach to small area estimation using survey weights. *The Canadian Journal of Statistics*, **30**, 431-439.
- 217. You, Y. and Rao, J.N.K. (2003). Pseudo hierarchical Bayes small area estimation combining unit level models and survey weights. *Journal of Statistical Planning and Inference*, **111**, 197-208.
- 218. You, Y., Rao, J.N.K. and Gambino, J. (2003). Model-based unemployment rate estimation for the Canadian labour force survey: a hierarchical Bayes approach. *Survey Methodology*, **29**, 25–32.
- 219. You, Y., Rao, J.N.K. and Hidiroglou, M.A. (2013). On the performance of self-benchmarked small area estimators under the Fay-Herriot area level model. *Survey Methodology*, **39**, 217–229.
- 220. Yu, M. and Rao, J.N.K. (2000). Inference for nested error linear regression models with unequal error variances. *Journal of Statistical Planning and Inference*, **88**, 233-253.
- 221. Yung, W. and Rao, J.N.K. (1996). Jackknife linearization variance estimators under stratified multi-stage sampling. *Survey Methodology*, **22**, 23-31.
- 222. Yung, W. and Rao, J.N.K. (2000). Jackknife variance estimation under imputation for estimators using post-stratification information. *Journal of the American Statistical Association*, **95**, 903-915.

- 223. Zhong, B., Chen, J. and Rao, J.N.K. (2000). Empirical likelihood inference in the presence of measurement error. *The Canadian Journal of Statistics*, **28**, 841-852.
- 224. Zhong, B. and Rao, J.N.K. (2000). Empirical likelihood inference under stratified random sampling using auxiliary population information. *Biometrika*, **87**, 929-938.

2.4 Research articles in edited volumes and conference proceedings

- 1. Binder, D.A., Gratton, M., Hidiroglou, M.A. and Rao, J.N.K. (1984). Analysis of categorical data from surveys with complex designs: some Canadian experiences. In *Proceedings of a Seminar held in Luxemburg*, Eurostat News, Special Number, 75-94.
- 2. Chakrabarti, R.P. and Rao, J.N.K. (1967). The bias and stability of jackknife variance estimator in ratio estimation. In *Social Statistics Section, Proceedings of the American Statistical Association*, 326-331.
- 3. Choudhry, G.H. and Rao, J.N.K. (1989). Small area estimation using models that combine time series and cross-sectional data. In *Proceedings of the Statistics Canada Symposium on Analysis of Data in Time*, A.C. Singh and P. Whitridge (Eds), Statistics Canada, Ottawa, 67-74.
- 4. Correa, L., Molina, I. and Rao, J.N.K. (2012). Comparison of methods for estimation of poverty indicators in small areas. Unpublished report.
- 5. Datta, G.S. and Rao, J.N.K. (2010). The choice of nonsubjective priors on hyperparameters for some hierarchical Bayes models. In M-H. Chen, D.K. Dey, Peter Muller, D. Sun and K. Ye. (Eds), *Frontiers of Statistical Decision Making and Bayesian Analysis: In Honour of James O. Berger*, 237-247, Springer.
- 6. Demnati, A. and Rao, J.N.K. (2007). Linearization variance estimators for survey data: some recent work. ICES-III, June 18-21, 2007, Montreal.
- 7. Diallo, M. and Rao, J.N.K. (2014). Small area estimation of complex parameters under unit-level models with skew-normal errors. In *Proceedings of the Survey Research Methods Section*, American Statistical Association.
- 8. Graham, J.E. and Rao, J.N.K. (1978). Sample surveys: theory and practice. In *Studies in Statistics*, R.V. Hogg (Ed), Mathematical Association of America, Washington, DC, 107-167.
- 9. Guadarrama, M., Molina, I. and Rao, J.N.K. (2016). Small area estimation of general parameters under complex sampling designs. DES Working Paper, Statistics and Econometrics, Universidad Carlos III de Madrid.
- 10. Hartley, H.O. and Rao, J.N.K. (1969). A new estimation theory for sample surveys II. In *New Developments in Survey Sampling*, 147-169, N.L. Johnson and H. Smith (Eds), Wiley, New York.
- 11. Hartley, H.O and Rao, J.N.K. (1978). Estimation of nonsampling variance components in sample surveys. In *Survey Sampling and Measurement*, 35-43, N.K. Namboodiri (Ed), Academic Press, New York.
- 12. Haziza, D., Hidiroglou, M.A. and Rao, J.N.K. (2008). Comparison of variance estimators in two-phase sampling: an empirical investigation. Technical Report, Statistics Canada, Ottawa.
- 13. Haziza, D., Mecatti, F. and Rao, J.N.K. (2004). Comparison of variance estimators under Rao-Sampford method: a simulation study. In *Proceedings of the ASA Joint Statistical Meeting, Section on Survey Research Methods*, 3638-3643.

- 14. Hidiroglou, M.A., Rao, J.N.K. and Yung W. (1999). Variance computation for complex surveys using estimating equations. In *Proceedings of the Survey Methods Section*, Statistical Society of Canada, 3-9.
- 15. Lohr, S. and Rao, J.N.K. (1997). Jackknife variance estimation in multiple frame surveys. *Proceedings of the Survey Research Section, American Statistical Association*, 552-557.
- 16. Lohr, S.L. and Rao, J.N.K. (2003). Estimation in multiple frame surveys. *Proceedings of the International Conference on Recent Advances in Survey Sampling*, 137–146.
- 17. Molina, I. and Rao, J.N.K. (2014). Estimation of poverty measures in small areas. In *Poverty and Social Exclusion: New Methods of Analysis*, 246-260, G. Betti and A. Lemmi (Eds), Routlidge, New York.
- 18. Rao, J.N.K. (1969). Ratio and regression estimators. In *New Developments in Survey Sampling*, 213-234, In N.L. Johnson and H. Smith (Eds), Wiley, New York.
- 19. Rao, J.N.K. (1975). On the foundations of survey sampling. In *A Survey of Statistical Design and Linear Models*, J.N. Srivastava (Ed), North-Holland, Amsterdam, 489-505.
- 20. Rao, J.N.K. (1978a). Sampling designs involving unequal probabilities of selection and robust estimation of a finite population total. In *Contributions to Survey Sampling and Applied Statistics: Papers in Honour of H.O. Hartley*, 69-87, H.A. David (Ed), Academic Press, New York.
- 21. Rao, J.N.K. (1978b). Comments on papers by Basu and Royall and Cumberland. In *Survey Sampling and Measurement*, 323-329, N.K. Namboodiri (Ed), Academic Press, New York.
- 22. Rao, J.N.K. (1979). Optimization in the design of sample surveys. In *Optimizing Methods in Statistics*, 419-434, J.S. Rustagi (Ed), Academic Press, New York.
- 23. Rao, J.N.K. (1984). Some current topics in sample survey theory. In *Statistics: An Appraisal*, 555-582, H.A. David (Ed), The Iowa State University Press.
- 24. Rao, J.N.K. (1986). Synthetic estimators, SPREE and best model based predictors. In *Proceedings of the Conference on Survey Research Methods in Agriculture*, US Department of Agriculture, Washington, DC, 1-16.
- 25. Rao, J.N.K. (1987). Analysis of categorical data from sample surveys. In *New Perspectives in Theoretical and Applied Statistics*, 45-60, M.L. Puri, J.P. Vilaplana and W. Wertz (Eds), Wiley, New York.
- 26. Rao, J.N.K. (1988). Variance estimation in sample surveys. In *Handbook of Statistics*, **6**, 427-447, P.R. Krishnaiah and C.R. Rao (Eds), Amsterdam: Elsevier Science.
- 27. Rao, J.N.K. (1997). Resampling methods for complex survey data. In *Conference on Statistical Science Honouring the Bicentennial of Stefano Franscini's Birth*, C. Malaguerra, S. Morenthaler and E. Ronchetti (Eds.), Birkhauser, Basel, 149-156.
- 28. Rao, J.N.K. (1998). Marginal models for repeated observation: inference with survey data. In *Proceedings of the Section on Survey Research Methods*, American Statistical Association, Washington DC, 76-82.
- 29. Rao, J.N.K. (2000). Variance estimation in the presence of imputation for missing data. In *Proceedings of the Second International Conference on Establishment Surveys*, American Statistical Association, 599-608.
- 30. Rao, J.N.K. (2001). EB and EBLUP in small area estimation. In *Empirical Bayes and Likelihood Inference*, 33-43, S.E. Ahmed and N. Reid (Eds), Springer, New York,.

- 31. Rao, J.N.K. (2006). Bootstrap methods for analysing complex sample survey data. In *Proceedings of Symposium on Methodological Issues in Measuring Population Health*, Statistics Canada, Ottawa.
- 32. Rao, J.N.K., and Choudhry, G.H. (1995). Small area estimation: overview and empirical study. In *Business Survey Methods*,527-542, B.G. Cox, D.A. Binder, B.N. Chinnappa, A. Christianson, M.J. Colledge, and P.S. Kott (Eds.), Wiley, New York.
- 33. Rao, J.N.K. and Hughes, E. (1983). Comparison of domains in the presence of nonresponse. In *Incomplete Data in Sample Surveys*, **3**, 215-226, W.G. Madow and I. Olkin (Eds), Academic Press, New York.
- 34. Rao, J.N.K. and Liu, J. (1992). On estimating distribution functions from sample survey data using supplementary information at the estimation stage. In *Nonparametric Statistics and Related Topics*, 399-407, A.K. Md. E. Saleh(Ed), Elsevier Science Publishers, New York.
- 35. Rao, J.N.K. and Molina, I. (2016). Empirical Bayes and hierarchical Bayes estimation of poverty measures for small areas. In *Analysis of Poverty Data by Small Area Estimation*, 315-324, M. Pratesi (Ed), Wiley, Hoboken, NJ.
- 36. Rao, J.N.K. and Scott, A.J. (1979). Chisquared tests for analysis of categorical data from complex surveys. *Proceedings of the Section on survey Research Methods, American Statistical Association*, 58-66.
- 37. Rao, J.N.K., Sinha, S.K. and Roknossadati, M. (2009). Robust small area estimation using penalized spline mixed models. In *Proceedings of the Survey Research Methods Section*, American Statistical Association, Alexandria, VA, 145-153.
- 38. Rao, J.N.K. and Skinner, C.J. (1999). Dual frame surveys: pseudo maximum likelihood and single frame estimators. In *Statistical Inference and Design of Experiments*, 63–71, U.J. Dixit and M.R. Satam (Eds), Narosa Publishing House, New Delhi.
- 39. Rao, J.N.K., Srinath, K.P and Quenneville, B. (1989). Optimal estimation of level and change using current preliminary data. In *Panel Surveys*, 457-485,D. Kasprzyk, G. Duncan, G. Kalton and M.P. Singh (Eds.), Wiley, New York.
- 40. Rao, J.N.K. and Thomas, D.R. (1989). Chi-squared tests for contingency tables. In *Analysis of Complex Surveys*, 89-114, C.J. Skinner, D. Holt and T.M.F. Smith (Eds), Wiley, New York.
- 41. Rao, J.N.K. and Thomas, D.R. (1991). Chi-squared tests with complex survey data subject to misclassification error. In *Measurements Errors in Surveys*, 637-663, P.P. Biemer, R.M. Groves, L.E. Lyberg, N.A. Mathiowetz and S. Sudman (Eds), Wiley, New York.
- 42. Rao, J.N.K. and Thomas, D.R. (2003). Analysis of categorical response Data from complex surveys: an appraisal and update. In *Analysis of Survey Data*, 85-108, R.L. Chambers and C.J. Skinner (Eds), Wiley, Chichester.
- 43. Rao, J.N.K. and Wu. C. (2009). Empirical likelihood methods. In *Sample Surveys: Inference and Analysis*, **29B**, 189-207, D. Pfeffermann and C.R. Rao (Eds), Handbook of Statistics, Elsevier, Amsterdam.
- 44. Rao, J.N.K. and Yu, M. (1992). Small area estimation by combining time series and cross-sectional data. In *Proceedings of the Section on Survey Research Methods*, American Statistical Association, Washington DC, 1-9.

- 45. Roberts, G., Ren, Q. and Rao, J.N.K. (2009). Using marginal mean models for data from longitudinal surveys with a complex design: some advances in methods. In *Methodology of Longitudinal Surveys*, 351-366, P. Lynn (Ed), Wiley, Chichester.
- 46. Scott, A.J. and Rao, J.N.K. (1981). Chi-squared tests for contingency tables with proportions estimated from survey data. In *Current Topics in Survey Sampling*,247–265, D. Krewski, R. Platek and J.N.K. Rao (Eds), Academic Press New York.
- 47. You, Y., Rao, J.N.K. and Dick, P. (2002). Benchmarking Hierarchical Bayes small area estimators with application in census under coverage estimation. In *Proceedings of the Survey Methods Section*, SSC Annual Meeting, 81-86.
- 48. You, Y., Rao, J.N.K. and Kovacevic, M. (2003). Estimating fixed effects and variance components in a random intercept model using survey data. In *Proceedings, Symposium 2003, Challenges in Survey Taking for the Next Decade*, Statistics Canada.